

CATALOG

OF STEEL SYSTEMS

 **FURMANIAK**
doors and steel systems

2024





LOFT

- System A20
- System B20
- System B25
- System C20
- System TB40

CLASSIC

- System 099
- System 43
- System PROF therm



LOFT

Soft Loft Classic is a collection of loft doors.


The doors are made of special steel profiles, powder-varnished.



You can order this product in small and large batches at prices dedicated to B2B.



Use of safety glass 33.1, mounted centrally in the door frame.



Made in perfect dimensions.




The price includes colors of your choice from the RAL palette.




LOFT


system **A20**



vertical section of the door type **A20**




view of the door type **A20**




horizontal section of the door type **A20**

LOFT


system **A20**




Any dimensions



Doorless




model 1



model 2




model 3




model 4

Type of glazing **thickness**



Proposition 1 | 6 [mm]




Proposition 1 | 8 [mm]


LOFT

system **B20**


SYSTEM **B20** CROSS-SECTION




FIX SECTION OF SYSTEM **B20**




SYSTEM **B20** PROFILE SET




Aluminium 20 [mm]




Aluminium + steel 10 [mm]



Aluminium + steel 20 [mm]



Aluminium + steel 40 [mm]





Aluminium 30 [mm]

LOFT




system **B20**

Side/top lighting of system **B20**


optional 1 | standard slim 20



optional 1 | fix 48 [mm]



Any dimensions





Doorless

LOFT




system **B20**

Side/top lighting of system **B20**


optional 1 | standard slim 20



optional 1 | fix 48 [mm]



Any dimensions




Doorless


LOFT

system **B25**


VIEW OF SYSTEM **B25**



SYSTEM **B25** CROSS-SECTION




CONNECTING PROFILES AT **AN ANGLE**




LOFT
system B25

OUTWARD OPENING




Single glazing

SYSTEM B25 CROSS-SECTION




Double glazing

INWARD OPENING



Single glazing

SYSTEM B25 CROSS-SECTION




Double glazing

LOFT


system **B25**

PROFILE SUGGESTIONS P235570


SYSTEM **B25** CROSS-SECTION



Proposition 1



Proposition 2




Proposition 3




LOFT

system **B25**


DOUBLE LEAF DOOR VERSION 1




DOUBLE LEAF DOOR VERSION 2



VERSION P231073




VERSION P263810




LOFT

system **C20**


SYSTEM **C20** CROSS-SECTION



FIX SECTION OF SYSTEM **C20**




LOFT
system C20




VIEW OF SYSTEM C20


STEEL 15 [mm]



ALUMINIUM 20 [mm]




STEEL T20



LOFT


system **C20**

SYSTEM **C20** CROSS-SECTION




single glazing

ALUMINIUM 20 [mm]



single glazing

STEEL | PROFILE P235570



double glazing


STEEL | PROFILE P235570

NEW LOFT


system **TB40**

vertical section of the door type **TB40**


example C




view of the door type **TB40**



example A



example B




Single-cell insulated glass


NEW LOFT

system **TB40**


example of solutions of system **TB40**




example 1




example 2




example 3




example 4



example 5



example 6




example 7


NEW LOFT

system **TB40**



view of the profil door type **TB40**



Glazing TB40



Angle Glazing TB40





CLASSIC

Classic is a collection of steel doors.


The doors are made of special steel profiles, powder-varnished.



You can order this product in small and large batches at prices dedicated to B2B.



Use of safety glass 33.1, mounted centrally in the door frame.



Made in perfect dimensions, for an opening of 900 x 2100 [mm]. You can modify the size from 10 pcs.




The price includes colors of your choice from the RAL palette.




CLASSIC


system 099




view of the door type 099



vertical section of the door type 099



Proposition 1 | Propozycja 1




Proposition 2 | Propozycja 2

horizontal section of the door type 099


CLASSIC

system **099**


horizontal sections of the door type **099**



Proposition 1




Proposition 2




Proposition 3


CLASSIC
system 43




view of the door type 43



vertical section of the door type 43



Proposition 1 | Propozycja 1




Proposition 2 | Propozycja 2

horizontal section of the door type 43


CLASSIC

system **43**


horizontal sections of the door type **43**



Proposition 1



Proposition 2




Proposition 3

CLASSIC


system **PROF therm**

vertical section of the door type **PROF therm**


example C



view of the door type **PROF therm**



example B




example A

horizontal section of the door type **A20**


CLASSIC

system **PROF therm**


horizontal section of the door type **PROF therm**




example D | E




example E



view of the door type **TB40**



example F



example B

Door On Hinges

 **FURMANIAK**
doors and steel systems

REALIZATIONS









Door On Hinges



tel. +48 61 444 25 03

tel. +48 61 443 79 90

e-mail: biuro@metapol.com.pl

 **FURMANIAK**
doors and steel systems

ul. Rakoniewicka 38

62-068 Rostarzewo